

Effects of antibiotics on blood profiles in weanling pigs experimentally infected with a pathogenic *E. coli*

Kwangwook Kim¹, Yijie He¹, Cynthia Jinno¹,
Seijoo Yang¹, Minho Song², Peng Ji¹, Yanhong Liu¹

¹University of California, Davis, CA,

²Chungnam National University, Daejeon, Republic of Korea


Presentation
#142



Outline

- **Challenges in pig industry**
- **Antibiotic growth promoter & side effects**
- **Hypothesis & Objective**
- **Results and conclusions**

Growth in global protein demand



Source: Food and Agriculture Organization of the United Nations, ESA Working Paper No. 12-03, p. 131

Weaning stress

- Environmental changes
- Transportation stress
- Abrupt transition of diet
- Increased exposure to pathogens



Post weaning diarrhea in pigs


- One of the most serious threats for the swine industry
- Usually associated with proliferation of enterotoxigenic

E. coli (ETEC)

- F4 (K88) or F18




Post-weaning *E. coli* diarrhea morbidity



USDA, Swine 2012 Part III: Changes in the U.S. Swine Industry, 1995–2012

Post-weaning *E. coli* diarrhea



Antibiotic growth promoters (AGPs) in diets


➤ **A medicine that inhibits the growth of or destroys microorganisms**

- **Growth promotion**
- **Disease prevention**
- **Disease treatment**



Source: <http://mbioblog.asm.org>

Efficacy of antibiotics as growth promoters for weaned pigs (7-25 kg)




Zimmerman, 1986

Side effects of antibiotics


- **Development of resistant strains of pathogenic organisms**
- **Adverse or toxic reactions**
- **Increased susceptibility to infections**

Neu, 1992, Cunha, 2001, Davies, 2010


How does antibiotic resistance occur?




Lots of germs and some are drug resistant



Antibiotics kill the bacteria causing the illness as well as the good bacteria protecting the body from infection



The drug resistant bacteria is now able to grow and take over



Some bacteria give their drug resistance to other bacteria



- Normal bacterium



- Resistant bacterium



- Dead bacterium

<https://ducu59us/Shutterstock.com>

Adverse effects by low-dose AGP

Subinhibitory antibiotics concentration




Enhancing bacterial selection for antibiotic resistance genes



Increasing antibiotic resistance

Barbosa and Levy, 2000; Smith et al., 2002; Barlow, 2009; Brewer et al., 2013, Looft et al., 2014

How antibiotic resistance can spread?



Hypothesis



Exposure to potential antibiotic resistance determinants or antibiotic residues exacerbates the inflammation of pigs.

<https://www.foodsafetynews.com/international-targets-recommended-for-reducing-animal-antibiotic-use>


Previous results

Very low-dose antibiotic growth promoter supplementation

- ✓ Exacerbated growth performance
- ✓ Exacerbated diarrhea
- ✓ Delayed reduction of β -hemolytic coliforms
- ✓ Increased bacterial translocation

of weaned pigs experimentally infected with F18 *E. coli*.


Objective




Investigate the effects of very low-dose antibiotics on blood profiles and serum inflammatory mediators of weaned pigs experimentally infected with F18 *E. coli*.

Experimental design & treatments

- Experimental design: RCBD (Blocks: BW x Sex)
- 34 weaning pigs (6.88 ± 1.03 kg BW, 21 d old)
- Treatment: 3 treatments (11-12 pigs/treatment)



Experimental timeline & data collection



➤ Pathogenic F18 *E. coli* challenge (LT, STb, SLT-2); oral inoculation, 10^{10} cfu/dose with 3 doses

➤ Blood profiles


(WBC, RBC profiles)

➤ Serum inflammatory mediators


(TNF- α , C-reactive protein, Haptoglobin)

*PI=post-inoculation


Neutrophils




Lymphocytes




Monocytes




Packed cell volume




Mean corpuscular hemoglobin concentration (MCHC)




TNF- α



C-reactive protein



Haptoglobin




Conclusions

Very low-dose antibiotic growth promoter supplementation

- ✓ **Exacerbated systemic inflammation**
- ✓ **Exacerbated growth performance**
- ✓ **Exacerbated diarrhea**
- ✓ **Delayed reduction of β -hemolytic coliforms**
- ✓ **Increased bacterial translocation**

of weaned pigs experimentally infected with F18 *E. coli*.

Acknowledgements



**Comparative Animal Nutrition
& Physiology Laboratory
University of California, Davis**



Research project No. W4002

Thank you for your attention!

